



# KD Capital Auctions, LLC

## Surplus Assets of Multiple Nationwide Manufacturing Operations

Arizona  
United States

Ends from Mar 11, 2025 10am MT (4pm GMT)

Lot	Description
000	Assets in this sale are in various locations. Before bidding, verify the item's location.
00	All Invoices must be paid in full within 24 hours of closing of the sale. No Exceptions. Acceptable forms of payment include wire transfer, ACH, cashier's check, company check with bank letter of guarantee. Once the sale concludes, you'll receive an invoice from no-reply@wavebid.com. In the case of ...[more]
0	Buyers located outside the United States, Canada, or Mexico must provide a \$3,000.00 wire transfer deposit to participate in our auctions. Deposits must be confirmed before the auction begins and may take up to 48 hours to process. Deposits will either be applied to the buyer's invoice or refunded w ...[more]
1	2018 Haas VF-6SS Vertical Machining Center, Probes, 40 Taper, 24 Station Side Mount Tool Changer
2	1997 Haas VF-3 Vertical Machining Center, 20 HP
3	Jet Engine Lathe Model GH-26120ZH, 2 Misc Pallets W/ Chucks And Steady Rests
4	2017 Haas TL-3 CNC Lathe, 1 Misc Pallet
5	Tool Holder Rack
6	2 Machine Steps, 3 Movable Partitions, 2 Rollers
7	2005 Haas VF-9 Vertical Machining Center, TSC, 20HP 2 Speed Gear Drive, 24 SMTC
8	Milltronics HMC70, 86" X 63", Table Rotates, Fanuc 18i-MB Control, 60 Station Tool Changer
9	(3) Angle Plates 18" X 35"
10	(2) Angle Plates 16" X 36"
11	(6) Angle Plates, 8 Risers, 13 Misc Jig Plates
12	Collets, Slitter Saws, Boring Bars, Tool Holders, Manual Rotary Indexer
13	(2) Kurt Vises 8" X 22"

---

14	(2) Kurt Vises 8" X 22"
15	(2) Kurt Vises 8" X 22"
16	(2) Kurt Vises 8" X 22"
17	Vise Jaws, T-Slot Parts
18	(2) Kurt Vises 8" X 22"
19	(6) Fixture Plates
20	Vacuum Vise, Misc Haas Parts, Makita Cordless Drill
21	Tooling Cart Mostly 50 Taper
22	Tooling Cart Mostly 40 Taper
23	(4) Fixture Plates
24	Misc Drills And Tool Holders
25	Coffing Hoist Test Stand, 10 Ton Capacity, W/ Misc Chains And Holders
26	Miller Delta Weld 350 MIG Welder
27	Miller Extended Reach Wire Feed Push Pull Gun
28	Baileigh Cold Saw 2008
29	(3) Miller Wire Feeders 1 Double, 2 Single
30	Miller Syncrowave 250 W/ Cooler And Pulser Control TIG Welder
31	Miller Delta Weld 652 MIG Welder W/ 12' Boom
32	Haas Rotary Index Table
33	(2) Angle Plates, (2) Rotary Indexers Manual, Misc Work Holding
34	CAT 40 Tool Holders, Approx 40
35	CAT 50 Tool Holders, Approx 20

---

36	Granite Inspection Table, W/ Height Gauge Non-Working
37	LS Tumbler, 16" X 46" Bin, 1 Pallet Media, Misc Parts
38	2 Wilton Strand Drill Press
39	Jet Manual Mill W/ DRO
40	2010 Accurpress 7608, ETS 3000 Control W/ Premium Backgauge, Bend Speed Control, S/N 10502
41	Carbide Endmills, Inserts, Counter Sinks, Drill Bits, Boring Tool
42	2009 Hydmech S-20A Automatic Band Saw, W/ Conveyor
44	(4) 1" x 48" x 96" 304/304L Plate Stock
100	2011 Makino Duo43, Wire EDM, 17.7" x 11.8" x 12.6" Travels, MMGW-S6 Control, Auto Wire Threading, Chiller, Rotary Encoder Glass Scale Feedback, Submerged Cutting Capability, Ethernet Connection (RS232C), MGW-S6 CNC Control with Color CRT
101	2007 Makino SP43, Wire EDM, 17.72" x 11.81" x 12.59" Travels, MGW-S 15" Touch Screen Interface Control, 15-Second Thread Time Programmable Wire Threading, 220 Gal Dielectric Supply Tank, Automatic Power Failure Recovery, Filtering System with Inside-Out Type Paper Filters (4), HEAT Technology, Two ...[more]
150	2020 Global Vacuum Forming Machine, Weight 2,440 kg, Pressure 9 T/m <sup>2</sup> , Power Requirement 28.6 KW, Frequency 50 hz, Phase/Volt 3+N/ 380V, Amperage 55.4
200	1997 Mitsubishi EX8, Sinker EDM, 11.8" x 9.8" x 9.8" Travels, Mitsubishi Control, 16 Position Tool Changer, C-Axis, 3R Chuck, 50 Gal Oil Reservoir, Rapid Fill / Drain Manual, Temperature Control Type Fan Chiller, Positioning Detector Optical Rotary Encoder, Program Support Function ESPER, Chiller, R ...[more]
300	2012 Marvel 8 MARK II Vertical Band Saw, Capacity 18" x 22", Capacity @ 45 Degrees 17" x 12-1/2", Blade Feed Pressure 0 to 140 Lbs, Blade Speeds (Variable) 50 to 450 FPM, Head Tilts (Left/Right) 45 Degrees, Working Area of Table 33" x 24", Blade Dimensions (WxL) 1" X 14'6", Motor 2 HP
401	2021 Samsung SL-2000ASY, CNC Lathe, 6" Chuck, 2" Bar Capacity, 25.5" Swing, 15.5" Turning Diameter, 6,000 RPM, Fanuc Oi-TF Control, 20" Distance Between Centers, 12 Station Turret, C-Axis Live Tooling, Y-Axis, Chip Conveyor, Auto Tool Presetter, Parts Catcher, Sub Spindle
402	2004 Hardinge GT27-1, CNC Gang Lathe, 1" Bar Capacity, 11.76" Swing, 6,000 RPM, Fanuc 21iTB Control, 11.986" X-Axis Travel, 11.062" Z-Axis Travel, 470 IPM Rapid Rate X-Axis, 630 IPM Rapid Rate Z-Axis
403	1995 Amada FBD 3512E, 38 Ton x 4.1' Hydraulic Press Brake, Amada NC9-EXII Control, 40.2" Distance Between Housings, 3.94" Stroke, 7.68" Throat Depth, 14.57" Open Height, 177 IPM Ram Approach Speed, 31 IPM Bending Speed, 22 IPM Return Speed, 2-Axis Backgauge
404	2011 Brown & Sharpe Global Classic 575, DCC Coordinate Measuring Machine, Travels 19.7" x 27.6" x 19.7", Tesa Motorized Probe, Various Styling, Calibration Sphere, Joystick, PCDMIS Software

---

406	2012 Haas EC-300, CNC Horizontal Machining Center, 11.8" x 11.8" Pallet Size, 20" x 18" x 14" Travels, 40 ATC, 8,000 RPM, CAT 40, Haas CNC Control, Full 4th Axis, Chip Conveyor, Through Spindle Coolant, Probes, Remote Jog Handle, Rigid Tapping, Auxiliary Coolant Filter
<hr/>	
407	2020 Mikropor MKUS-175, Refrigerated Air Dryer
<hr/>	
408	2010 Haas VF-3YT/50, CNC Vertical Machining Center, 40" x 26" x 28" Travels, 7,500 RPM, CAT 50, 30 HP, 30 ATC, Chip Auger, Programmable Coolant Nozzle, Remote Jog Handle, Wireless Intuitive Probing System (WIPS) - Renishaw
<hr/>	
409	2019 Arburg 1200T 1000-290, 102 Ton 3.42 oz Vertical Injection Molding Machine, Platen Daylight 23.62", Mold Height 11.81", Table Diameter 47.25", Selogica Direct Control, Dimensions 180" x 68" x 105", 47" Servo Electric Table, Vertical Clamp and Vertical Injection, Core Pull
<hr/>	
410	2022 Arburg 1200T 1000-290, 102 Ton 3.42 oz Vertical Injection Molding Machine, Platen Daylight 23.62", Mold Height 11.81", Table Diameter 47.25", Selogica Direct Control, 47" Servo Electric Table, Core Pull, Vertical Clamp and Vertical Injection
<hr/>	
450	2017 PCT Ebeam Core 100 Film/Ink Curater, Production Speed 600 FPM, Max Uniform Beam Width 30", Max Surface Dose Rate for 100 kV 3 Mrad@600 ft/min, Nitrogen Inerting Level 200 ppm O2, Product Clearance 0.050" or 1.25mm, Orientation Right to Left
<hr/>	